

CloudLink Mic 500-G Series Omnidirectional Smart Array Microphone







Product Overview

The CloudLink Mic 500-G/500T-G series compact array microphone, 360 degrees 6 meters pickup, lossless broadband audio transmission, excellent 3A audio processing technology, supporting a full series of video conference terminals, to bring users a new high fidelity stereo sound quality experience.

Technical Specifications

| Audio | |
|---------------------|--|
| Sampling Rate | 48kHz |
| Frequency Response | 100Hz - 22kHz |
| Microphone | |
| Sensitivity | -38±2dB |
| Pickup distance | 6m |
| Pickup range | 360 ° |
| Parameters | |
| Model Number | Mic 500-G/Mic 500T-G |
| Morphology | Wired microphone |
| Mounting method | Placing (Mic 500), hoisting (Mic 500T) |
| Cascade | Supports up to three devices wired cascade * |
| Ambient temperature | 0°C -40°C |
| Dimensions | Bare machine: 146mm (diameter) ×27mm (height) Packing: 255mm × 227mm × 105mm(L*W*H) |
| Weight | Net weight: 0.2kg Gross weight: 0.87kg |



Ignite future, connect world



Guangdong Glory Technology Co., Ltd.

Email: service@glory-t.tech Hotline: +86 400-800-6805 Address: 6th Floor, Onelink Walk No.2, 232 Tianhe Road, Guangzhou, China For more information, please visit www.glory-t.cn