



光语
GLORY

OceanStor Dorado 2000-G All-Flash Storage System



■ Product Overview

As an entry-level all-flash storage system, the OceanStor Dorado 2000-G integrates a new hardware platform and FlashLink® intelligent software algorithms, improving performance by 50%. Multiple built-in features, intelligent storage internal application services; A-A duplex architecture to provide high reliability; Simple graphical interface design provides customers with minimal installation, deployment and O&M experience.

The OceanStor Dorado 2000-G all-flash storage is applicable to various scenarios such as virtualization, databases, office automation, and branch offices. It is a reliable choice for operators, finance, government, medical, and manufacturing industries. Its fast and stable storage system provides cost-effective and efficient services, making IT an ideal choice for IT applications in small and medium-sized enterprises.

■ Technical Specification

Model Number	OceanStor Dorado 2000-G
Hardware Specifications	
Maximum Number of Controllers	8
Maximum Cache (dual controls, expandable with controller)	128 GB-512 GB
Supported Storage Protocols	FC, iSCSI
Front-end Channel Port Type	8/16/32Gbps FC, 1/10/25 GbE
Back-end Channel Interface Type	SAS 3.0
Maximum Number of Hot-swappable I/O Modules/Controller Enclosures	4
Maximum Number of Front-end Host Ports/Controller Enclosures	28
Maximum Number of Plates	400
Type of Hard Drive	960 GB/1.92 TB/3.84 TB/7.68 TB/15.36 TB SAS SSD
Software Specifications	
RAID Support	RAID5, RAID6, RAID10, and RAID-TP (tolerance for simultaneous failure of 3 disks)
Maximum Number of Luns	2048
Electrical Specifications	
Power Supply	Controller enclosure: 200V-240VAC \pm 10%, 192V-288VDC Disk enclosure: 100V-240VAC \pm 10%, 192V-288VDC
Dimensions (H \times W \times D)	86.1mm \times 447 mm \times 410 mm
Weight (including hard drive unit weight)	SAS controller enclosure: \leq 22.65kg SAS SSD disk enclosure: \leq 20kg



光语
GLORY

Ignite future, connect world



Guangdong Glory Technology Co., Ltd.

Email: service@glory-t.tech

Hotline: +86 400-800-6805

For more information, please visit www.glory-t.cn

*The descriptions and information displayed in the product promotional materials are for reference only. The actual delivered product shall prevail. The final interpretation right belongs to GLORY.