




CloudEngine 8800-G Series Data Center Switches



■ ■ Product Overview

The CloudEngine 8800-G series is a new generation of high-performance, high-density, low-latency Ethernet switches for data centers. The CloudEngine 8800-G series adopts advanced hardware design, provides high-density 100GE, 40GE, 25GE, or 10GE ports, supports rich data center features, high-performance stacking, and flexibly selects the direction of the air channel.

The CloudEngine 8800-G series switches are positioned at the core or aggregation of data centers to help enterprises and operators build a data center network platform for the cloud computing era. They can also be used for the core or aggregation of campus networks.

■ ■ Technical Specification

Items	CloudEngine 8850E-32CQ-EI-G	CloudEngine 8850-64CQ-EI-G
Port Description	32* 100GE QSFP28, 1 10GE SFP+	64* 100GE QSFP28
Exchange Capacity	6.4Tbps/102.4Tbps	12.8Tbps/204.8Tbps
Packet Forwarding Rate	2030Mpps	4482Mpps
Air Duct Type	Standard front/rear or rear/front air duct	
Chassis Dimensions (W×D×H)	442.0mm × 420.0mm × 43.6mm	442.0mm × 600.0mm × 86.1mm
Full Weight	8.6kg	16.4kg

■ ■ Full Range of CE8800-G Models

Model	CloudEngine 8800-G: 100GE aggregation switch
CloudEngine 8855-32CQ4BQ-G	CE8855-32CQ4BQ-G Switch (32*100GE QSFP28,4*200GE QSFP56,2*AC power supply,5*fan box, port side air intake)
CloudEngine 8850E-32CQ-EI-G	CE8850E-32CQ-EI-G Switch (32*100GE QSFP28,1*10GE SFP+,2*AC power supply,4*fan box, port side air intake)
CloudEngine 8850-64CQ-EI-G	CE8850-64CQ-EI-G Switch (64*100GE QSFP28,2*AC power supply, port side air intake)
CloudEngine 8865-4C-G	CE8865-4C-G host (4 sub-card slots,2*AC power,3*fan box, port side air intake)
CloudEngine 8875-24BQ8DQ-G	CE8875-24BQ8DQ-G Switch (24*200GE QSFP56,8*400GE QSFP-DD,2*AC power supply,5*fan box, port side air intake)
Model	CloudEngine 8800-SAN-G: Data center storage network switch
CloudEngine 8865-SAN-4C-G	CE8865-SAN-4C-G host (4 sub-card slots,2*AC power supply,3*fan box, port side air intake)



Ignite future, connect world



Guangdong Glory Technology Co., Ltd.

Email: service@glory-t.tech

Hotline: +86 400-800-6805

For more information, please visit www.glory-t.cn

*The descriptions and information displayed in the product promotional materials are for reference only. The actual delivered product shall prevail. The final interpretation right belongs to GLORY.