

IdeaHub Board 2-G New Generation Conference Tablet






Product Overview

4K soft light screen equipped with health care eye, set smooth board writing, convenient screen projection, multimedia connection and other functions as one, can meet the enterprise local discussion, open area collaborative co-creation, corporate culture publicity and other collaborative office scenes.

Technical Specifications





Components		
Complete machine	Stylus	Matching cable
1 set	2 pieces	Power cord×1
Floor support	Wall brackets	Smart screen projector
Optional	Matching	Matching
OPS pluggable computer		
Optional (i5/i7)		
Screen		
Resolution	Viewing Angle	Glass hardness
Ultra HD 4K (3840×2160)	178 °	≥7H
Laminating process	Color depth	Type of backlight
Zero fit	10 bit (8bit +FRC)	D-LED
Touch points	Screen refresh rate	Display screen ratio
20 dots	60 Hz	16:09
Healthy Eye Care		
Optical blue light blocking	Anti-glare	Adaptive light perception adjustment
Support	Support	support
Low Blue Light certification from TUV Rheinland	Certified Eye Comfort by TUV Rheinland	
√	√	
Writing		
Writing delay	Writing accuracy	Whiteboard preservation method
≤25ms	±1mm	Scan code/mail/local/USB flash drive
Smart writing		
Support		
Projection Screen		
Wireless cast screen effect	Wired projection effect	Screen projection client support system
Supports up to 4K30fps	Support up to 4K30fps	Android/Windows/iOS/macOS
	Support up to 4KSS1ps	Android, windows/105/macos
Screen casting method		
IdeaShare screen projection code * HDMI, Type-C wired screen projection smart screen projector a touch, drop down menu screen		
	Wireless connection	
Dual WiFi module	Frequency	NFC
√	2.4GHz + 5GHz	Support
Speakers		
Frequency domain	Speaker unit	Stereo
100 Hz - 20 KHz	2 full frequency units +2 high frequency units	Support
System	Operating system	
CPU: 4 Core		
RAM: 4 GB Flash: 32 GB*	Android 9.0/Windows 10*	
Interface		
Front interface	Side port	
USB Type-C x1	USB Type-A 3.0×1, USB Type-B×1, HDMIINx 2, HDMI OUT×1, COM port×1, RJ45 network port×1,	
USB Type-A 3.0x2	80pinOPS port×1、3.5mm Line-in×1、3.5mmLine-out×1	



Ignite future, connect world



Guangdong Glory Technology Co., Ltd.

Email: service@glory-t.tech Hotline: +86 400-800-6805

For more information, please visit www.glory-t.cn

*The descriptions and information displayed in the product promotional materials are for reference only. The actual delivered product shall prevail. The final interpretation right belongs to GLORY.