



光语
GLORY

Switch Center-G Call Control and Firewall Traversal Server



■ Product Overview

The Switch Cen-G (SC) is a H.323 and SIP standard call control and firewall traversal server, with powerful terminal registration and public/private network traversal functions, to meet the needs of enterprise users for seamless communication between internal and external networks, headquarters and branches, and cross-enterprise.



■ ■ Technical Specifications

Standards and Protocols to Follow	
Multimedia Framework Protocol	ITU-T H.323, IETF SIP
Other standards and protocols	H.225, H.245, Q.931, H.235, SDP, TLS/SRTP, H.239, BFCP H.460, ICE, STUN, TURN, SNP, SIP TRUNK, IPv4, IPv6 TCP/IP, HTTPS, SSH, SNMP, LDAP/H.350, RTP, RTCP, DDNS
System Performance	
Type	Registered SC
Maximum number of registrations	20,000
Maximum number of concurrent calls	6,000
Maximum traversal bandwidth	600Mbps
Type	Agency
Maximum number of proxy registrations	SC
Number of extranet conference access	50,000
Maximum traversal bandwidth	2,000
Deployment mode	Integrated software and hardware deployment: based on Kunpeng Platform Virtualization deployment: third-party ARM server + FusionCompute 8.0 Cloud deployment: HCS 8.0, HCSO20.6 Software deployment: Kunpeng Server + Galaxy Kirin V10-SP1
Software License	H.323/SIP hardware device registration number (including MCU, recording and broadcasting, hard terminal) Number of registered soft terminals, Number of concurrent calls on soft terminals (choose one of two) Public/private network traversal bandwidth



光语
GLORY

Ignite future, connect world



Guangdong Glory Technology Co., Ltd.

Email: service@glory-t.tech

Hotline: +86 400-800-6805

For more information, please visit www.glory-t.cn

*The descriptions and information displayed in the product promotional materials are for reference only. The actual delivered product shall prevail. The final interpretation right belongs to GLORY.