

CloudLink Mic 100-G Omnidirectional USB/Bluetooth







Product Overview

The Mic 100-G integrates microphone and speaker, built-in 6 omnidirectional array microphones, 360-degree 3-meter radius pickup, word and sentence clearly conveyed. Full frequency domain speaker, bring clear natural playback sound quality. Support full duplex audio technology, and unique intelligent noise reduction algorithm, effectively eliminate a variety of burst noise, restore pure and clear voice. Mic 100-G Plug and play, can be quickly connected to computers, mobile phones and tablets throughUSB, Bluetooth or Bluetooth adapter, and built-in 3200mA large battery, ultra-long life, suitable for personal office, small conference rooms and business travel and other scenarios.



■ Technical Specifications

Mic Parameters	
Microphone type	6 array microphones
Pickup range	3 meter pickup radius, 360 degree pickup
SNR (signal to Noise ratio)	≥65dB
sensitivity	-6dBFS@94dB SPL @1 m
Frequency response	100Hz to 20kHz
Full duplex audio	Full duplex
Speakers	
Maximum Output Power	3W
Volume	82dB SPL @1 meter
Frequency response	150Hz to 20kHz
Audio Processing Technology	
Non-steady state noise suppression	Through deep learning algorithm, it can effectively remove the sudden noise such as mouse click, keyboard, tapping, air conditioning, table and chair collision
Echo cancellation	The Acoustic Echo Cancellation (AEC) technology makes the echo generated in a video conference invisible
Noise cancellation	Automatic Noise Suppression (ANS) technology that detects and eliminates background noise of a fixed frequency
Automatic gain control	Automatic Gain Control (AGC) technology ensures smooth and natural sound effects
Connection Mode	
USB	USB2.0 (Type-C), with 1 meterUSB connection cable as standard
Bluetooth	Bluetooth 5.1, 10m wireless communication range
USB Bluetooth adapter	Bluetooth 5.1, 10m wireless communication distance
Battery	
Battery type	Rechargeable lithium battery
Battery specification	3200mA
Battery charge time	2.5 hours
Call duration	20 hours
Length of battery discharge when off	400 days
Physical characteristics	
Power supply	USB2.0 (Type-C) port, built-in battery
Ambient temperature	0°C to 40°C (working state), -40 to 70°C (storage state)
Relative Humidity	10% to 90% (in working condition)
·	
Dimensions	Product Size: 122mm × 118mm × 34mm
$\begin{array}{c} \text{Dimensions} \\ \text{(length} \times \text{width} \times \text{height)} \end{array}$	Product Size: 122mm × 118mm × 34mm Packing size: 192mm × 172mm × 55mm



Ignite future, connect world



Guangdong Glory Technology Co., Ltd.

Email: service@glory-t.tech Hotline: +86 400-800-6805

For more information, please visit www.glory-t.cn

*The descriptions and information displayed in the product promotional materials are for reference only. The actual delivered product shall prevail. The final interpretation right belongs to GLORY.