



**光语**  
GLORY

# CloudLink Mic 100 Pro-G

## Omnidirectional USB/Bluetooth



## ■ Product Overview

The Mic 100 Pro-G integrates a microphone and a speaker with eight omnidirectional array microphones and a 360-degree 4.5-meter radius pickup for clear communication word by word. Full frequency domain speaker, bass enhancement, bring clear natural playback sound quality. Support full duplex audio technology, as well as unique AI intelligent noise reduction algorithm, effectively eliminate a variety of burst noise, restore pure and clear voice. Mic 100 Pro-G Plug and play, can be quickly connected to computers, mobile phones and tablets through USB, Bluetooth or Bluetooth adapter, and supports cascading expansion, suitable for medium and small conference rooms and personal office.

## ■ Technical Specifications

Mic Parameters	
<b>Microphone type</b>	8 array microphones
<b>Pickup range</b>	4.5m pickup radius, 360 degree pickup
<b>SNR (signal to Noise ratio)</b>	≥65dB
<b>Sensitivity</b>	-6dBFS@94dB SPL @1 m
<b>Frequency response</b>	100Hz to 20kHz
<b>Full duplex audio</b>	Full duplex
Audio Processing Techniques	
<b>Non-steady state noise suppression</b>	Through deep learning algorithm, it can effectively remove the sudden noise such as mouse click, keyboard, tapping, air conditioning, table and chair collision
<b>Echo cancellation</b>	The Acoustic Echo Cancellation (AEC) technology makes the echo generated in a video conference invisible
<b>Noise cancellation</b>	Automatic Noise Suppression (ANS) technology that detects and eliminates background noise of a fixed frequency
<b>Automatic gain control</b>	Automatic Gain Control (AGC) technology ensures smooth and natural sound effects
Connection Mode	
<b>USB</b>	USB2.0 (Type-C), with a 5-meterUSB cable as standard
<b>Bluetooth</b>	Bluetooth 5.1, 10m wireless communication range
<b>USB Bluetooth adapter</b>	Bluetooth 5.1, 10m wireless communication distance
Extended Connectivity	
<b>Cascading mode</b>	Supports a maximum of two device cable cascading,USB2.0 (Type-C) cascading port, 3 meters ofUSB cable is standard
Physical Characteristics	
<b>Security</b>	Security keyholes that meet international Kensington standards
<b>Power Supply</b>	DC 12V/1.5A
<b>Ambient temperature</b>	0°C to 40°C (working state), -40 to 70°C (storage state)
<b>Relative Humidity</b>	10% to 90% (working condition)
<b>Dimensions (length × width × height)</b>	Product Size: 155mm × 150mm × 40mm Packing size: 247mm × 211.5mm × 85mm
<b>Weight</b>	Net weight: 0.63kg, gross weight: 1.23kg



**光语**  
**GLORY**

***Ignite future, connect world***



---

**Guangdong Glory Technology Co., Ltd.**

**Email: [service@glory-t.tech](mailto:service@glory-t.tech)**

**Hotline: +86 400-800-6805**

**For more information, please visit [www.glory-t.cn](http://www.glory-t.cn)**

\*The descriptions and information displayed in the product promotional materials are for reference only. The actual delivered product shall prevail. The final interpretation right belongs to GLORY.